

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/324132898>

# chapter Optimized

Chapter · January 2017

CITATIONS  
0

READS  
67

4 authors:



**Mohammed Zerf**

Université Abdelhamid Ibn Badis Mostaganem

95 PUBLICATIONS 68 CITATIONS

SEE PROFILE



**Mokkedes moulay idriss**

institut d'éducation physique et sportive mostaganem algérie

17 PUBLICATIONS 6 CITATIONS

SEE PROFILE



**Bengoua Ali**

Mostaganem University

36 PUBLICATIONS 27 CITATIONS

SEE PROFILE



**Bendahmane Mohammed Nasreddine Nasreddine**

Université Abdelhamid Ibn Badis Mostaganem

7 PUBLICATIONS 10 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



health and wellbeing [View project](#)



ANALYSIS OF THE EVOLUTION OF SOME HEMATOLOGICAL PARAMETERS DURING THE FIRST PREPARATORY PERIOD ON YOUNG ALGERIAN SOCCER PLAYERS (U17) [View project](#)

# **Sports Science and Management**

**Luis Mason**

# **Sports Science and Management**



# **Sports Science and Management**

Editor: Luis Mason

**Academic Pages,**  
5 Penn Plaza,  
19th Floor,  
New York, NY 10001, USA

© Academic Pages, 2017

This book contains information obtained from authentic and highly regarded sources. Copyright for all individual chapters remain with the respective authors as indicated. All chapters are published with permission under the Creative Commons Attribution License or equivalent. A wide variety of references are listed. Permission and sources are indicated; for detailed attributions, please refer to the permissions page and list of contributors. Reasonable efforts have been made to publish reliable data and information, but the authors, editors and publisher cannot assume any responsibility for the validity of all materials or the consequences of their use.

ISBN: 978-1-9789-2900-5

The publisher's policy is to use permanent paper from mills that operate a sustainable forestry policy. Furthermore, the publisher ensures that the text paper and cover boards used have met acceptable environmental accreditation standards.

Copyright of this ebook is with Academic Pages, rights acquired from the original print publisher, Callisto Reference.

**Trademark Notice:** Registered trademark of products or corporate names are used only for explanation and identification without intent to infringe.

#### **Cataloging-in-Publication Data**

Sports science and management / edited by Luis Mason.  
p. cm.

Includes bibliographical references and index.

ISBN 978-1-9789-2900-5

1. Sports sciences. 2. Sports medicine. 3. Sports--Physiological aspects. 4. Physical fitness.  
5. Physical education and training. 6. Sports administration. I. Mason, Luis.

GV558 .S66 2017

613.71--dc23

# Table of Contents

	<b>Preface.....</b>	<b>VII</b>
Chapter 1	<b>Effects of a single low-intensity resistance exercise session on lipid peroxidation of untrained male students.....</b> Mohammad Hossein Sepehri, Masoud Nikbakht, Abdolhamid Habibi, Mustafa Moradi	<b>1</b>
Chapter 2	<b>The use of Modular Feed Forward Neural Networks in Anticipating the Results of Handball Championship 2015.....</b> Amr Hassan	<b>6</b>
Chapter 3	<b>The Dietary Combination of Quercetin and Resveratrol Supplementation May Improve Exercise Tolerance in Young Untrained Males by Modulating IL-6 and NGAL Response.....</b> Zekine Punduk, Adnan Adil Hismiogullari, Ozlem Yavuz, Khalid Rahman	<b>11</b>
Chapter 4	<b>Positive Effects of Sports Events: From Exaggeration to Reality.....</b> Keivan Shabani Moghaddam, Saifulla Shahabzade	<b>18</b>
Chapter 5	<b>Comparison Between Standard and Gender-Specific Knee Designs in Total Knee Arthroplasty in Female Patients.....</b> Elsayed Morsey Zaki, Tarek Ali Elkhadrawe, Ayman Mohammed Ebied, Amro Saber Elsayed, Hany Elsayed Saad	<b>23</b>
Chapter 6	<b>Investigation of adolescents' physical education trait anxiety levels by a range of variables.....</b> Yaprak Kalemoglu-Varol, Mustafa Kayihan Erbas	<b>29</b>
Chapter 7	<b>Effects of Plyometric Training to Improve a Physical Capacity and Athletic Performance to High School Students 17-18 Years Old.....</b> Houcine Benzidane, Habib Bensikaddour, Djamel Mokrani	<b>34</b>
Chapter 8	<b>Anthropometric Characteristic, Somatotype and Body Composition of Canadian Female Rowers .....</b> Anup Adhikari, Edward McNeely	<b>39</b>
Chapter 9	<b>Muscular Power and Endurance in Young Competitor and Recreational Fencers.....</b> Philippe Dedieu	<b>45</b>
Chapter 10	<b>Somatic and Body Composition Factors Underlying Aerobic Capacity.....</b> Sukanta Saha	<b>51</b>
Chapter 11	<b>Soccer syndrome - Common presentations and manual diagnostic techniques for pelvic malalignment syndrome.....</b> Ganesh Elumalai, Malarvani Thangamani, Nirmala Palayathan, Ajit Kumar, Manish Kr Singh	<b>56</b>

Chapter 12	<b>Volleyball Injuries: A Survey of Injuries Among Male Players of the Chinese Taipei National Volleyball Team.....</b>	<b>70</b>
	Hung-Yu Huang, Tso-Liang Teng, Cho-Chung Liang	
Chapter 13	<b>Analysis of Force in Human Muscle using EMG in Hot Rolling Mill.....</b>	<b>76</b>
	K. Govindaraju, B. Sasi Kumar, K. Raja, K. Murugabhoopathy	
Chapter 14	<b>The influence of physical fitness on respiratory muscle strength in the elderly.....</b>	<b>81</b>
	Aline Patricia Bonato Miranda, Ada Clarice Gastaldi, Hugo Celso Dutra de Souza, Jair Licio Ferreira Santos	
Chapter 15	<b>Which Causal Relationships can Reject or Accept the Significant Optimum Distribution Ratios Phases in the Triple Jump.....</b>	<b>88</b>
	Zerf Mohammed, Mokkedes Moulay Idris, Biengoua Ali, Bendahmane Med Nasreddin	
Chapter 16	<b>Introducing a New Agility Test in Badminton.....</b>	<b>94</b>
	Donny Wira Yudha Kusuma, Hermawan Pamot Raharjo, Mulawarman Sudjito Taathadi	
Chapter 17	<b>Relationships Between High Intensity Running and Outcome of Technical-Tactical Skills in Professional Soccer Players During Match Play.....</b>	<b>105</b>
	Cristoforo Filetti, Stefano D'Ottavio, Bruno Ruscello, Vincenzo Manzi, Wassim Moalla	
Chapter 18	<b>A Comparative Morphometric Analysis of Trained Young Male and Female Swimmers and Table Tennis Players.....</b>	<b>114</b>
	Priya Nandy, Pritha Chatterjee, Anupam Bandyopadhyay	
Chapter 19	<b>Effect of Three Protocols of Warming up Involving Stretching on the Kinematic Performance of Horizontal Jumping, Agility and Speed for Soccer Players.....</b>	<b>121</b>
	Mohamed Abdelsattar Abdelkader, Wadee Mohamed Elmorsi	
Chapter 20	<b>Somatotype Characteristics of School Boys Aged Six to Eleven Years from Nepal.....</b>	<b>127</b>
	Anup Adhikari, N. P. Sinha	
Chapter 21	<b>Somatotyping and Some Physical Characteristics of Trained Male and Female Young Table Tennis Players.....</b>	<b>135</b>
	Pritha Chatterjee, Arush Goswami, Anupam Bandyopadhyay	
Chapter 22	<b>Comparison of Self-Regulation Strategies in Elite Basketball Players Based on Personality Types.....</b>	<b>142</b>
	Mohsen Parvazi Shandi, Zahra Pooraghaei Ardekani, Saber Mehri	
Chapter 23	<b>Sports Injuries with Special Reference to Soccer: Causes, Consequences and Prevention Strategies .....</b>	<b>149</b>
	Surjani Chaterjee, Neepa Banerjee, Satabdi Bhattacharjee, Tanaya Santra, Ayan Chatterjee, Sandipan Chatterjee, Bijan Saha, Shankarashis Mukherjee, Indranil Manna	
Chapter 24	<b>Somatotyping and Biomotor Features of Male Children of Chandauli and Mirzapur Districts of Uttar Pradesh, India.....</b>	<b>156</b>
	Ashish Kumar Singh, M. Elayaraja, Ajeet Jaiswal	

Chapter 25	<b>Effects of Muscle Energy Technique in Increasing Range of Motion and Strength of Glenohumeral Internal Rotator, in Athletes with Glenohumeral Internal Rotation Deficit.....</b>	<b>162</b>
	Sonakshi Sehgal, Siddhartha Sen, Amit Dhawan	
Chapter 26	<b>Correlations between maximal strength tests at different squat depths and sprint performance in adolescent soccer players.....</b>	<b>168</b>
	Michael Keiner, Andre Sander, Klaus Wirth, Hagen Hartmann, Dennis Yaghobi	
Chapter 27	<b>Lower Extremity Injuries of Volleyball Players During Moving Spike Landing.....</b>	<b>175</b>
	Hung-Yu Huang, Tso-Liang Teng, Cho-Chung Liang	
Chapter 28	<b>Soccer Syndrome - 2: Common Innominate Malalignments and Its Manual Diagnostic Techniques in Pelvic Malalignments Syndrome.....</b>	<b>183</b>
	Ganesh Elumalai, Maria Declaro, Sanjoy Sanyal, Melchor Bench Bareng, Aminuddin Mohammad	
Chapter 29	<b>Differences in loaded and unloaded vertical jumping ability and sprinting performance between Brazilian elite under-20 and senior soccer players.....</b>	<b>191</b>
	Irineu Loturco, Ronaldo Kobal, Saulo Gil, Bruno Pivetti, Katia Kitamura, Lucas A. Pereira, Cesar Cavinato Cal Abad, Fabio Yuzo Nakamura	
Chapter 30	<b>Soccer Syndrome - 3: Common Sacral Malalignments and Its Manual Diagnostic Techniques.....</b>	<b>197</b>
	Ganesh Elumalai, Ameet Kumar Jha, Palani Kanagarajan, Sanjoy Sanyal	
Chapter 31	<b>Importance of Human Variation and Scientific Inputs in Designing Furniture.....</b>	<b>210</b>
	Shivani Chandel, S. L. Malik	
Chapter 32	<b>Use of Energy Drinks Among College Students in Saudi Arabia.....</b>	<b>216</b>
	Sulaiman O. Aljaloud	
Chapter 33	<b>The association between psycho-socio-demographic factors and substance abuse in Iranian male bodybuilders.....</b>	<b>222</b>
	Hooman Angoorani, Behnoosh Tayyebi	
Chapter 34	<b>Electromyographic Analysis of Selected Upper Extremity Muscles during Jump Throwing in Handball.....</b>	<b>227</b>
	Sherif Ali Taha, Abdel-Rahman Ibrahim Akl, Mohamed Ahmed Zayed	
Chapter 35	<b>Study of Heart Rate Variability and Stress Markers in Basketball Players Submitted to Selective Loads Periodization System.....</b>	<b>233</b>
	José Henrique Mazon, Ada Clarice Gastaldi, Marli Cardoso Martins-Pinge, João Eduardo de Araújo, Hugo Celso Dutra de Souza	

#### Permissions

#### List of Contributors

#### Index



# Preface

This book aims to highlight the current researches and provides a platform to further the scope of innovations in this area. This book is a product of the combined efforts of many researchers and scientists from different parts of the world. The objective of this book is to provide the readers with the latest information in the field.

Sports science studies in detail the response of human body to diverse extend of physical activity. Sports management has many branches such as marketing, event management, sports information management and facility management. The sports industry is a thriving economic sector that is consumer-driven and hence, dependent on the performance of athletes and related personnel. This book brings forth some of the most innovative concepts and elucidates the unexplored aspects of sports science and management. The objective of this text is to give a general view of the different areas of this discipline. It strives to provide a fair idea about this field and to help develop a better understanding of the latest advances within sports science and management. Coherent flow of topics, student-friendly language and extensive use of examples make this book an invaluable source of knowledge.

I would like to express my sincere thanks to the authors for their dedicated efforts in the completion of this book. I acknowledge the efforts of the publisher for providing constant support. Lastly, I would like to thank my family for their support in all academic endeavors.

**Editor**



# Which Causal Relationships Can Reject or Accept the Significant Optimum Distribution Ratios Phases in the Triple Jump

Zerf Mohammed, Mokkedes Moulay Idris, Biengoua Ali, Bendahmane Med Nasreddin

Physical and Sports Education Institute Mostaganem, Sports Training department, Laboratory Optimization of Programs in Eps, University Abdel Hamid Ibn Badis Mostaganem, Mostaganem, Algeria

## Email address:

biomeca.zerf@outlook.com (Z. Mohammed), mi\_mokkedes@hotmail.com (M. M. Idris), bengoua67@yahoo.fr (B. Ali), bendahmane\_m@yahoo.fr (B. M. Nouredine)

**Abstract:** The objectives of this study were to detect some causal relationships in significant differences optimum distribution ratios phases that the most sources agree that it varies from athlete to the other. Our subjects were the finalists (2009-2011) with Hop-dominated technique, 17 meter as minimum performance and the best performance in the world triple Jump with Jump-dominated technique, 18 meter as minimum performance in other comparison. In the absence of technological means in Algeria, our study explores the reports (IAAF) in order to answer: Which causal relationship explained or dismissed the Optimum distribution ratios phases in the two-practiced dominant technique (Hop and Jump) to achieve results? For this, we chose the analysis of the Regression to be compared, the impact phase distributions (hop, step and jump) charged with the results achieved in their test. Our goal for this research is: Improve search through the Optimum use of data results champions. Find a causal relationship between dominant technique and results as research topic in Optimum ratios phases. The most important results obtained: Optimum distribution ratios phases in the hop-dominated technique varies from athlete to other because the respect of the model theories Russian requires the Stride length of the three phases typically to (39%: 30%: 31%). Optimum distribution ratios phases in the jump-dominated technique should be us as optimum phase ratio in condition that the Stride length of the three phases typically to (34%29%37%).

**Keywords:** Dominated Technique, Distribution Phases, Prediction in Triple Jump

## 1. Introduction

The triple Jump is composed of three take-off phases (Hop, Step, and Jump), each plays an important role, as they require the jumper to tolerate extremely high forces of impact and to maintain a high level of horizontal velocity. (Abeer Eissa, 2014) That the Biomechanical Studies have been conducted to identify the factors affecting the performance of the triple jump in an attempt to determine the optimum techniques for individual athletes (Bing Yu, PhD, 1982).

Below is a list of researchers and the means of the percent phase contributions they found for elite male triple jumpers as modality of their technique practiced.

*Table 1. The mean contribution of the phase distances reports in the similar studies.*

Researcher	HOP	STEP	JUMP	dominated technique
Milburn (1979)	36.3%	31.3%	32.4%	hop
Smith and Haven (1982)	33.6%	28.9%	37.5%	jump
Fukashiro et al.(1981)	36.9%	29.1%	34.0%	hop
Hay and Miller (1985)	35.4%	29.4%	35.3%	balance

(Clifford Larkins) said that the findings listed above, the mean contribution of the phase distances varied with each study and Hay& Miller's (1985) confirm that optimal phase ratio is different from athlete to other, (Bing Yu, PhD, 1982) for that the Velocity conversion coefficient is the determinant

of optimum phase ratio. (Paul Brice) The hop is the first phase of the triple jump and objective in it is to achieve horizontal vertical velocity because the hop leg would-be used for two other phases. Moreover, for our research, we agree with (Hui Liu, 2012) Phase ratio is a measure of effort distribution in the triple jump. Hop-dominant, balanced, and jump-dominant techniques were three triple jump techniques defined based on phase ratio and confirmation of (Ed Jacoby, 2009) that the transition of phases neither any errors are related to other thing that defeat technique modality who is related to the causal relationships in the rejection or acceptance significant optimum distribution ratios phases in the triple jump.

In conclusion, our purpose of this modest study:

- Is there any causal relationship that can be used to rejection or acceptance significant optimum distribution ratios phases in the hop-dominated technique?
- Is there any causal relationship that can be used to rejection or acceptance significant optimum distribution ratios phases in the jump-dominated technique?

For that, we have chosen the Kinematics assessment in order to obtain some objective information, based in the technique theory distributions ratios. (MIHAI IIIE, 2009)

## 2. Methods and Means Population

**Table 2.** Showsthe results (IAAF, 2011) performances of our samples.

simple	Jump distance (m)	Stride length			relative dist. [%]		
Hop-dominated technique Stride length three phases are typically (36%:30-31-32%33%)							
Name / Att.	real	Hop	Step	Jump	Hop	Step	Jump
Idowu P. 4 <sup>th</sup> (2011)	17.77	6.67	5.64	5.6	38	32	32
Copello A. 5th(2011)	17.62	6.4	5.38	5.84	36	31	33
Evora N. 1st(2011)	17.46	6.44	5.18	5.84	37	30	33
Olsson C. 1st(2011)	17.45	6.37	5.09	5.99	37	29	34
Sandsa L. 5th(2011)	17.59	6.63	4.77	6.19	38	27	35
Compaore B. 3rd(2011)	17.48	6.32	5.23	5.93	36	30	34
Idowu P. 3 <sup>rd</sup> (2009)	17.92	6.49	5.41	6.02	36	30	34
Sands L. 5 <sup>th</sup> (2009)	17.34	6.52	5.2	5.62	38	30	32
Girat A. 1st(2009)	17.39	6.16	5.41	5.88	35	31	34
Li Y.4 <sup>th</sup> (2009)	17.32	6.33	5.24	5.75	37	30	33
Gregorio J. 2 <sup>nd</sup> (2009)	17.15	6.33	5.1	5.72	37	30	33
M	17.50	6.42	5.24	5.85	37	30	33
SD	0.22	0.15	0.22	0.18	0.70	1.17	0.96
Jump-dominated technique Stride length three phases are typically (34%29%37%)							
Name / Att.	real	Hop	Step	Jump	Hop	Step	Jump
JONATHAN EDWARDS	18.29	6.02	5.22	7.05	33	29	39
KENNY HARRISON	18.09	6.19	5.26	6.64	34	29	37
TEDDY TAMGHO	18.04	6.16	5.30	6.58	34	29	36
Taylor C. 4th	18.10	6.19	5.29	6.62	34	29	37
M	18.16	6.14	5.27	6.72	34	29	37.08
SD	9.08	0.08	0.04	0.22	0.64	0.37	0.98

From the table 2 through the results of the mean of Stride length we can judge two dominated technique hop (best in the performances (2009-2011) and Jump (best in the world performances triple Jump)

## 3. Research Tools

- Explore the literature on everything related to the subject of our research.
- Explore the reports, quantitative analysis of our sample
- Explore the reports, qualitative in similar studies
- Explore the biomechanical analysis using in the similar studies
- Explore the statistical analysis using in the similar studies.

## 4. Results and Discussion

- Is there any causal relationship that can be used to rejection or acceptance significant optimum distribution ratios phases in the hop-dominated technique?

We have chosen Regression as model statically

**Table 3. (a):** Variables Entered/Removed<sup>a</sup>.

Model	Variables Entered	Variables Removed	Method
1	Distance phase Jump, distance phase step, distance phase hop <sup>b</sup>	.	Enter

a. Dependent Variable: Jump distance

b. All requested variables entered.

From the table 3 (a) we note that the regression method,

which is, used in a manner model 1 is the Enter where the program has shown the introduce of all the independent variables in the equation of multiple linear regression.

Table 3. (b): Model Summary<sup>b</sup>.

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.991a	.981	.973	.0335

a. Predictors: (Constant), distance phase jump, distance phase step, distance phase hop

b. Dependent Variable: Jump distance

Table 3 (b), we note that the three values of the simple correlation and the coefficient(R Square- Adjusted R Square), are significant in the Predictors used in Model 1. From that we confirmed the independent explanatory variables phases (distance jump, distance step, distance hop), was able to explain the changes in the Dependent Variable Jump distance in practiced technique hop dominate phase required and the rest (0.03) is attributable to other factors.

Table 3. (c): ANOVA<sup>a</sup>.

Model	Sum of Squares	df	Mean Square	F	Sig.
Regression	.460	3	.153	121.235	.000b
Residual	.009	8	.001		
Total	.469	11			

a. Dependent Variable: Jump distance

b. Predictors: (Constant), distance phase jump, distance phase step, distance phase hop

As it noted in Table 3 (c) of the variables Predictors includes in analysis to defined the explanatory power of the model 1 based by the calculi of F.

As can be seen from the High explanatory power of multiple linear regression model from a statistical point the F test High moral (P <0.001), from that we confirms the High moral explanatory power of the models chosen of the multiple linear regression statistical.

Table 3. (d): Coefficients<sup>a</sup>.

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
(Constant)	1.158	.864		1.340	.222
1 distance phase hop	.904	.076	.617	11.851	.000
1 distance phase step	.874	.060	.907	14.489	.000
1 distance phase jump	1.017	.076	.832	13.308	.000

a. Dependent Variable Jump distance

We conclude from the Table3 (d) that the independent variables were significant from a statistical point of these tests that we confirmed by t (at the moral level of P ≤ 0.001) in all comparisons, which it is the Reason to explanatory

power of the moral analysis of variance Regression. Form that our equation:

$$\text{Regression line Jump distance} = 1.16 + .90 \text{ distance phase hop} + .87 \text{ distance phase step} + 1.02 \text{ distance phase jump}$$




Figure 1. (a): Normal P-P Plot of Regression Standardized Residual Dependent Variable: Jump distance.

Diagram of the points that we find clustered around the line so the data (residuals) distributed according to the normal distribution of the variables expertise in our study




Figure 1. (b): Scatter plot Dependent: Jump distance as Regression linear condition.

Figure 1 (b) represents a spread of overstocks with expected values and it explains the lack of specific points of the pattern in Figure 1(b) this is consistent with linear condition

We conclude from the Table 3 (a-b-c-d) that the hop dominated technique practiced as distributions ratios is depended with the all participation of the independent variables enter in the equation. Were we cannot excluded any Variables to be significant from a statistical point of these tests that we confirmed that Dependent Variable: Jump distance, it is the average of the results of different phases,

which varies with variables independent (hop step jump) of each athlete distributions to gain more distance.

(Clifford Larkins) who said that the findings listed explain think above, the mean contribution of the phases distances varied with each study and Hay & Miller's (1985) confirm that optimum phase ratio is different from athlete to other (Bing Yu, PhD, 1982).Which we observed in the confirmation of scientific (F.P. Beer, Ferdinand P. Beer, E.R., 2009) as advice attributes in the formation of an athlete require by coaches. As a driving tasks objectives are to achieve as much as the triple jump is an athletic event in which a current arriving athlete tries to jump as far as he can by performing a hop, step and a jump phases.

### 5. Discussion of the Hypothesis 1

From the comparisons in the table 3(a-b-c-d)and the consistent linear figures 1 (a-b) condition as the equation of Dependent Variable equal that it's the average of the all participation of the independent variables enter in regression method: we accepted the hypothesis,

That Optimum distribution ratios phases varies from athlete to other, for this causal relationships (hop dominated technique)that we explain in the within of the objectivein the hop phase explains by (Paul Brice),as it's the first phase the achieving of the horizontal vertical velocity is the gain in the leg will be used for the two other phases.(Abeer Eissa, 2014) confirms this thought the athlete aims to maximize the horizontal distance jumped. This jump is composed of 3 take-off phases (hop, step, and jump), each playing an important role, as they require the jumper to tolerate extremely high forces of impact and to maintain a high level of horizontal velocity in another (Bing Yu, PhD, 1982) confirms, for the Russian technique (hop dominated technique). The nearest that, any came to the 39%: 30%: 31% ratio. In addition, based on the results we explained the phenomenon by (Ed Jacoby, 2009) that succeed in triple Jump are in the transition of phases, neither any errors is relate to other. that we explain statistical in the difference ratios acquired between step phase and Jump phase that it does not respect the model 1% in the major findings listed in the studies similar(table 1) for that we ask the second question.

- Is there any causal relationship that can be used to rejection or acceptance significant Optimum distribution ratios phases in the jump-dominated technique?

We have chosen Regression as model statically

Table 4. (a): Variables Entered/Removed<sup>a</sup>.

Model	Variables Entered	Variables Removed	Method
1	distance phase Jump	.	Stepwise (Criteria: Probability-of-F-to-enter <= .050, Probability-of-F-to-remove >= .100).

a. Dependent Variable: Jump distance

From the table4 (a) we note that the regression method,

which is, used in a manner is the Stepwise where the program has shown that it introduces onlythe distance phase Jump as the independent variable in the equation of multiple linear regression.

Table 4. (b): Model Summary<sup>b</sup>.

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df 1	df 2	Sig. F Change
1	.989 <sup>a</sup>	.978	.966	.02017	.978	86.953	1	2	.011

a. Predictors: (Constant), distance phase Jump

b. Dependent Variable: Jump distance

Table 4 (b), we note that the three values of the simple correlation and the coefficient(R Square- Adjusted R Square), are significant in the Predictors used in Model1. From that we confirmed the independent explanatory variables phases (distance phase Jump), was able to explain the changes in the Dependent Variable Jump distance in practiced technique Jump dominate phase required and the rest (0.03) is attributable to other factors.

Table 4. (c): ANOVA<sup>a</sup>.

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.035	1	.035	86.953	.011 <sup>b</sup>
	Residual	.001	2	.000		
	Total	.036	3			

a. Dependent Variable: Jump distance

b. Predictors: (Constant), distance phase Jump

As it is noted in Table4 (c) of the variables Predictor include in analysis to define the explanatory power of the model 1 based by the value of F.

As can be seen from the High explanatory power of multiple linear regression model from a statistical point the F test High moral (P <0.01), from that we confirms the High moral explanatory power of the model chosen of the multiple linear regression statistical.

Table 4. (d): Coefficients<sup>a</sup>.

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	14.808	.356		41.544	.001
	distance phase Jump	.494	.053	.989	9.325	.011

a. Dependent Variable: Jump distance

We conclude from the Table4 (d) that the independent variable were significant from a statistical point of these tests that we confirmed by t (at the moral level of P ≤ 0.001) in all comparisons, which it is the Reason, explanatory power of the moral analysis of variance Regression. From that our

equation

Regression line Jump distance = 14.808+.494 distance phase jump

Table 4. (e): Excluded Variables<sup>a</sup>.

Model	Beta In	t	Sig.	Partial Correlation	Collinearity Statistics	
					Tolerance	
1	Hop distance	.427b	1.335	.409	.800	.079
	Step distance	-.051b	-.131	.917	-.130	.148

a. Dependent Variable: Jump distance

b. Predictors in the Model: (Constant), phase Jump distance

We conclude from the Table 4 (e) that the independent variables (Hop distance and Step distance) were not significant from a statistical point of this tests that we confirmed by t (at the moral level of  $P \leq 0.05$ ) in all comparisons for that the Excluded Variables It did not affect the credibility of prediction

Normal P-P Plot of Regression Standardized Residual




Figure 2. (a): Normal P-P Plot of Regression Standardized Residual Dependent Variable: Jump distance.

Scatterplot




Figure 2. (b): Scatter plot Dependent: Jump distance as Regression linear condition.

Diagram of the points that we find clustered around the line so the data (residuals) distributed according to the normal distribution expertise of the variables in order to calculate the equation

Figure 2 (b) represents a spread of overstocks with expected values and it explains the lack of specific points of the pattern in Figure this is consistent with linear condition

We conclude from the Table 4 (a-b-c-d-e) that the Jump dominated technique practiced as distributions ratios is dependent with the particle of the independent distance of the phase Jump. Where any change in the distribution of the Jump phase, which must be the longest phase than (hop-step), can deficit distance globally. For that as a condition of the good application of the theoretical distribution Stride, length must be in the required of the smallest step phase and an area of 6.28 meters for the hop and 5.35 meters for the step, to be significant statistical point of these tests that we confirmed. In equation That Dependent Variable: Jump-dominated technique is the Optimum of hop and step as large hop and small step to exceed 6.83 meters in Jump phase as typically Stride length (34%29%37%).

## 6. Discussion of the Hypothesis 2

From the table 4(a-b-c-d-e) through the results of chosen Regression Jump-dominated technique is the Optimum ratios of hop 34-33% and step 29% as large hop and small step to exceed 6, 83 meters in Jump phase as typically Stride length 37% from the relative total distance

We conclude that the base on jump dominant techniques as length three phases typically practiced by our best champions is a criteria to distinguishing the effect of optimum phases' ratio view the distribution ratios Register in their practical. Based on the results we can judge that the Stride length of the three phases typically to (34%29%37%) as mean observed in their results, should be as optimum phase ratio. This is not in conformity with the results of (Bing Yu, PhD, 1982) how confirms that the Optimum phase ratio is different from athlete to another. For our champions the Velocity conversion coefficient is one of demand for good practice of the identify factors affecting the performance of the triple jump. Ourstudy also confirms the vision of our results within the limits of good operating of the ideal technical which is confirmed by (Hui Liu, 2012) that the Phase ratio is a measure of effort distribution in the triple jump typically theory models distributed ratios. Hop-dominant (39% -30% - 31%), balanced (35%-30%-34%), and jump-dominant (34%29%37%). (McNab, T., 1968)or the table1 the mean contribution of the phase distances reports in the similar studies

## 7. General Conclusion

Our finding confirm the importance of distribution models to choose adopts practice technique Stride length typically phases appropriate for each theoretical model as a technical distribution ratio, because they offer the means to detect the

errors practices in each phase. (ALLEN, and all, 2013) Confirms the description of the techniques used by elite triple jumpers consist the determine characteristics were significantly related to the officially recorded distance of the jump. To confirm, the Maximum errors in stride length that can be used to determine which strides are the major contributors to maximum error in toe-board distance. Our study confirm optimum phase ratio is different from athlete to another and the Velocity conversion coefficient is the determinant of optimum phase ratio on bases of ideal practice in dominate hop technique. Which confirms the vision of our results within the equation Regression liner that is limited by the good operating of the ideal technical Stride length typically phases that is not in accordance with the Russian model. Thing is confirmed by (Bing Yu, 1982) for the Russian technique. The nearest that, any came to the 39%: 30%: 31% ratio and (Hui Liu, 2012) the velocity conversion coefficient affected which technique achieved the longest actual distance for (James G. Hay, 1992)

The review itself considers each of the biomechanical factors identified in the models and selected characteristics of triple jumping techniques. In another case, we can judge that the Stride length of the three phases typically for our Bestperformance (34% 29% 37%) as mean observed in the results champions with 18 meter. Could be used as optimum phase ratio, thing that is compatible with equation Regression liner, which is the distance of the Jump phase and equal to over 37% of the overall jump distance. Thing confirmed by (S.J. Allen, & all, 2013) that the individual athletes have a linear relationship between the loss in horizontal velocity and the gain in vertical velocity during each phase that is not in conformity with the results of (Bing Yu, PhD, 1982) who confirms that the Optimum phase ratio is different from athlete to athlete. Based on the result for our modest study, we conclude that research on triple jump techniques has been focused on the differences on the performance, of the technique, which is natural; this avoids us to generate the results because of the mistakes in practice of the technique

That we observed in the table 1 (similar studies) and the table 2(performances of our samples) the hop dominant technique that shows above the mean issue of our research and has had little impact on practice individual athletes. The Identification of the individual attributes that determine the optimum ratio of the phase distances are subject seen as challenging topics of future research (James G. Hay, 1992).

## 8. Proposals

Nowadays, the disclosure of minute's mistakes need from both coach and searcher development of a new means measuring instruments in planning and evaluation

1. Study the impact of relations of phase's modality basis

in all tests practiced by the championships individual and in the group.

2. Study the problem posed in other similar studies.
3. Take advantage of this study in the assessment and training triple jump.

## References

- [1] Abeer Eissa. (2014). Biomechanical Evaluation of the Phases of the Triple Jump Take-Off in a Top Female Athlete. *Journal of Human Kinetics*, 29–35.
- [2] Bing Yu, PhD. (1982). *BIOMECHANICS OF TRIPLE JUMP*. usa: Center for Human Movement Science The University of North Carolina at Chapel Hill.
- [3] Bouchard C, Rankinen T. (2001). Individual differences in response to regular phsyical exercise. *Med.Sci.Sport exercise*.
- [4] Clifford Larkins. (s.d.). *THE OPTIMAL CONTRIBUTION OF THE PHASE DISTANCES IN THE TRIPLE JUMP NOVICES VERSUS ELITES*. The University of Michigan.
- [5] Ed Jacoby. (2009). *Winning Jumps and Pole Vault*. usa: Human Kinetics.
- [6] F.P. Beer, Ferdinand P. Beer, E.R. (2009). *Mechanical engineer for vol.2: Dynamic*. canada: De BoeckSupérieur Amazon France.
- [7] Hui Liu. (2012). Effects of phase ratio and velocity conversion coefficient on the performance of the triple jump. *Journal of Sports Sciences*, Source: PubMed.
- [8] IAAF. (2011, 08 18). *Biomechanics Research Project in the IAAF World Championships Daegu 2011*. International Association of Athletics Federations: International Cooperation Research Team (JAAF Biomechanics Team).
- [9] James G. Hay. (1992). the biomechanics of the triple jump: a review. *Journal of Sports Sciences*, Source: PubMed.
- [10] K. Dziewiecki, Z. Mazur, and W. Blajer. (2013). *ASSESSMENT OF EXTERNAL AND INTERNAL LOADS IN THE TRIPLE JUMP VIA INVERSE DYNAMICS SIMULATION*. *Biol Sport.*, 103–109.
- [11] McNab, T. (1968). *Triple lump Amateur Athletic Association*. London.
- [12] MIHAI IIIIE. (2009). *RESEARCHES CONCERNING THE KINEMATIC ANALYSIS OF THE HOP IN THE MALE TRIPLE EVENT*. International Scientific Conference Innovation and creation in the field of physical activity, sources of human performance Galati, 293 – 297.
- [13] Paul Brice. (s.d.). *Using Quintic Biomechanics to Calculate Centre of Mass., Q4E Case Study, Sport Science (AS / A level /1st year Degree Level)*.
- [14] S.J. Allen & all. (2013). Trade-offs between horizontal and vertical velocities during triple jumping and the effect on phase distances. *Journal of Biomechanics*, 979-983.